

# Tyrone Camarero Specifications

# Tyrone

## Camarero SDI200C3R-212

### Key Feature

#### Support CXL

- 5th/4th Gen Intel® Xeon® Scalable processors, Dual Socket LGA-4677 (Socket E) , CPU TDP supports up to 350W TDP
- Intel® C741 Chipset
- Up to 4TB 3DS ECC RDIMM, DDR5-5600MT/s in 16 DIMM slots
- 4 PCIe 5.0 x16 , 2 PCIe 5.0 x8, M.2 Interface: 2 PCIe 4.0 x2
- Broadcom BCM57416 Dual ports 10G LAN
- 6 USB3.0 and 3 USB2.0
- 2 SATA DOM ports
- 6 NVMe ports PCIe 5.0 x4 via 3 MCIO connectors
- 8 SATA3.0 ports
- 12 x 3.5" hot-swap SAS/SATA drive bay with SES3, optional 2 x 2.5" hot-swap drive bay
- 12-Port 2U Backplane with Expander support up to 8 x 3.5" SAS3/SATA3 HDD/SDD and 4 x SAS3/SATA3/NVMe Storage Devices,HF,RoHS/REACH
- 1200W/1000W Redundant Power Supply
- 3x 8cm high-performance PWM fan(s)



<b>Processor/Cache</b>		<b>Front Panel</b>	
<b>Processor</b>	5th Gen Intel® Xeon® / 4th Gen Intel® Xeon® Scalable processors, Dual Socket LGA-4677 (Socket E) supported, CPU TDP supports Up to 350W TDP	<b>LEDs</b>	Power status LED, HDD activity LED, 2 Network Activity LEDs, Unit Identification (UID) LED, Fan Fail/System Over Heat LED
<b>System Memory</b>		<b>Buttons</b>	Power On/Off , System Reset button
<b>Memory</b>	16 DIMM slots, Up to 4TB 3DS ECC RDIMM, DDR5-5600MHz	<b>Drive bays</b>	
<b>Chipset</b>		<b>Drive Bays</b>	Optional 2x 2.5" hot-swap drive bay, 12x 3.5" hot-swap SAS/SATA drive bay with SES3
<b>Chipset</b>	Intel® C741 Chipset	<b>Power Supply</b>	
<b>Expansion Slot</b>		<b>Power Supply</b>	1200W/1000W Redundant Power Supply
<b>PCI-Express</b>	2 PCIe 5.0 x8, 4 PCIe 5.0 x16, M.2 Interface: 2 PCIe 4.0 x2	<b>Cooling System</b>	
<b>Add-on Options</b>		<b>Fans</b>	3x 8cm high-performance PWM fan(s)
<b>Raid Card</b>	Optional	<b>Form Factor</b>	
<b>Optical Drive</b>	None	<b>Form Factor</b>	2U Rackmount Height -3.5" (89 mm), Width -17.2" (437 mm), Depth -25.5" (647 mm)
		<p><b>Email : <a href="mailto:Info@tyronesystems.com">Info@tyronesystems.com</a></b></p> <p><b>For more/current product information, Visit <a href="http://www.tyronesystems.com">www.tyronesystems.com</a></b></p>	

• Intel, the Intel logo, the Intel Inside logo, Xeon, and Intel Xeon Phi are trademarks of Intel Corporation in the U.S and/or other Countries  
 • Specifications subject to change without notice. Picture used for representation purpose only and the actual product may differ in looks. All other brands and names are the properties of their respective owners