

Tyrone Camarero Specifications

Tyrone

Camarero SS4C0TR-14RL

Key features

- Single socket H4 (LGA 1151) supports Intel® Xeon® processor E3-1200 v6/v5, Intel® 7th/6th Gen. Core™ i3 series, Intel® Celeron® and Intel® Pentium®
- Intel® C232 chipset
- Up to 64GB Unbuffered ECC UDIMM DDR4 2133MHz; 4 DIMM slots
- 1 PCI-E 3.0 x8 (in x16), 1 PCI-E 3.0 x8, 1 PCI-E 3.0 x4 (in x8)
- Dual GbE LAN with Intel® i210-AT
- 6 SATA3 (6Gbps) via C232; RAID 0, 1, 5, 10
- I/O: 1 VGA, 1 COM, TPM header
- 2 SuperDOM with built-in power
- 5 USB 3.0 (2 rear, 2 via header, 1 Type A), 6 USB 2.0 (2 rear, 4 via headers)
- Integrated IPMI 2.0 and KVM with Dedicated LAN
- 4 x 3.5" hot-swap SAS/SATA
- 4-port 1U TQ backplane (W/ enclosure management), support up to 4x 3.5-inch SAS/SATA HDD
- 400W Redundant single output power supply, W/PMbus, gold level



Processor/Cache	
Processor	Single socket H4 (LGA 1151) supports Intel® Xeon® processor E3-1200 v6/v5, Intel® 7th/6th Gen. Core™ i3 series, Intel® Celeron® and Intel® Pentium®
Chipset	
Chipset	Intel® C232 chipset
System Memory	
Memory Capacity	64GB Unbuffered ECC UDIMM, DDR4-2133MHz, in 4 DIMM slots
Expansion Slots	
PCI Express	1 PCI-E 3.0 x8 (in x16), 1 PCI-E 3.0 x8, 1 PCI-E 3.0 x4 (in x8)
Integrated On-Board	
SATA	Intel® C232 controller for 6 SATA3 (6 Gbps) ports; RAID 0,1,5,10
Add-on Options	
Raid Card	Optional
Optical Drive	Optional
Front Panel	
Led's	2 Network Activity LEDs, Fan Fail/System Over Heat LED, HDD activity LED, Power Status LED
Buttons	Power On/Off button, System Reset button
Drive Bays	
HDD bays	4 x 3.5" hot-swap SAS/SATA. SAS or enterprise SATA HDD only recommended
Peripheral Drives	Optional 1 x USB + COM port tray
Power Supply	
400W Redundant single output power supply, W/PMbus, gold level	
Cooling System	
4 x 40x28mm PWM fan(s), Optional 2 x fans for AOC cooling	
Form Factor	
Form Factor	1U Rackmount
Width	17.2" (437mm)
Height	1.7" (43mm),
Depth	19.85" (503mm)
Email : info@tyronesystems.com	
For more/current product information, visit www.tyronesystems.com	