Tyrone Camarero Specifications

Camerero: SSI10F0A-36

Key Feature

UP mid-tower workstation for gaming and content creation High-performance Gaming, Content Creation

- Supports 11th Gen Intel® Core™ Processors (i3/i5/i7/i9), Pentium® and Celeron® Processors
- Slot Count: 4 DIMM slots, Max Memory (2DPC): Up to 4TB 3200MT/s non-ECC DDR4 UDIMM
- PCLe 4.0 x16 slots (16/NA or 8/8) and PCLe 3.0 x1
- 3x 12cm PWM Fans
- Total 6 bay(s), 6 internal fixed 3.5" SATA drive bay(s)
- 750W 80PLUS Gold Power Supply







Processor/Ca	ac	he
--------------	----	----

Processor

Single Socket H5 (LGA-1200), 11th Gen Intel® Core™ Processors, Supports up to 125W TDP

CPUs (Air Cooled)

Chipset

Chipset Intel® Z590

System Memory

Memory Capacity Slot Count: 4 DIMM slots, Max Memory (2DPC): Up to 4TB 3200MT/s non-ECC

DDR4 UDIMM

Expansion Slot

PCI-Express PCLe 4.0 x16 slots (16/NA or 8/8) and PCLe

Integrated Onboard:

SATA SATA (6Gbps)

Network Connectivity 1 RJ45 1GbE with Intel® PHY I219-V, 1 RJ45

10GbE with Marvell® AQC113C

Add-on Options

Raid Card Optional

Optical

None

Drive

LED	HDD activity LED & Power status LED"
Buttons	Power On/Off button, System Reset button"
Drive bays	

Drive bays Total 6 bay(s), 6 internal fixed 3.5" SATA drive bay(s), Peripheral Bays: 2 5.25"

bay(s)

Power Supply

Front Panel

Power Supply 750W PS2 Multi-output Power Supply

Cooling System

3x 12cm heavy duty fans with optimal fan speed control

Form Factor

Form Factor Mid-Tower

Dimensions

Dimensions Height: 18.1" (460 mm), Width: 7.9"

(200 mm), Depth: 19.4" (493 mm)

Email: Info@tyronesystems.com For more/current product information, Visit www.tyronesystems.com

Intel, the Intel logo, the Intel Inside logo, Xeon, and Intel Xeon Phi are trademarks of Intel Corporation in the U.S and/Or other Countries

Specifications subject to change without notice. Picture used for representation purpose only and the actual product may differ in looks. All other brands and names are the properties of their respective owners