


Tyrone Camarero Specifications



Camarero DS20036W-18RT

Key features

- Dual socket R (LGA 2011) supports Intel® Xeon® processor E5-2600 and E5-2600 v2 family
- Up to 1.5TB ECC DDR3, up to 1866MHz; 24x DIMM sockets
- 1 PCI-E 3.0 (x8) Low-profile, 1 PCI-E 3.0 (x16) & 1 PCI-E 3.0 (x8) Full-height slots
- Intel i350 Dual port GbE & Intel X540 Dual port 10GBase-T Controllers
- 8x Hot-swap 2.5" SAS/SATA HDD bays for Customizable Storage
- 750/700W Redundant power supplies 80 PLUS, Gold Level Certified



| | | | |
|----------------------------|--|---|--|
| Processor/Cache | | Front Panel : | |
| Processor | Dual socket R (LGA 2011) supports Intel® Xeon® processor E5-2600 and E5-2600 v2 family | LED Indicators | Power status LED HDD activity LED 2x Network activity LEDs Universal Information (UID) LED |
| Switches | | Power On/Off Button, System Reset Button | |
| Chipset | | Drive bays | |
| Intel® C606 Chipset | | HDD bays | 8x Hot-swap 2.5" SAS / SATA HDD trays |
| | | Peripheral Bays | Slim DVD-ROM drive (optional) |
| System Memory | | Power Supply | |
| Memory Capacity | 24x 240-pin DDR3 DIMM sockets Up to 1.5TB DDR3 ECC LRDIMM Up to 768GB DDR3 ECC Registered memory (RDIMM) | 750/700W Redundant power supplies 80 PLUS, Gold Level Certified | |
| Expansion Slots | | Cooling System | |
| PCI-Express | 1 PCI-E 3.0 (x16) Full-height (10" length) 1 PCI-E 3.0 (x8) Full-height (6.6" length) 1 PCI-E 3.0 (x8) | 6x 4cm Counter-rotating PWM fans | |
| Integrated On-Board | | Form Factor | |
| SATA | SATA 2.0 3Gbps with RAID 0, 1, 5, 10 SATA 3.0 6Gbps with RAID 0, 1 | 1U Rackmount | |
| SAS | SAS from C606 RAID 0, 1, 10 support | Width | 17.2" (437mm) |
| LAN | 2x RJ45 10GBase-T ports 2x RJ45 Gigabit Ethernet LAN ports 1x RJ45 Dedicated IPMI LAN port | Height | 1.7" (43mm) |
| | | Depth | 26.6" (676mm) |
| Add-on Options | | <p>E : info@tyronesystems.com</p> <p>For more/current product information, visit www.tyronesystems.com</p> | |
| Optical Drive | Optional | | |

Intel, the Intel logo, the Intel Inside logo, Xeon, and Intel Xeon Phi are trademarks of Intel Corporation in the U.S and/or other countries. Specifications subject to change without notice. Picture used for representation purpose only and the actual product may differ in looks. All other brands and names are the property of their respective owners.