## **Tyrone Camarero Specifications**

## Camerero: SSA200F0A-12

## **Key Feature**

- AMD EPYC™ 4004 series and Ryzen™ 7000 Series Processors, single socket LGA-1718 (socket AM5), up to 170W,
- Up to 192GB ECC/non-ECC Unbuffered DIMM, DDR5-5200MHz, in 4 DIMM slots.
- 1 PCle 5.0 x16
- 2x 1Gbit LAN port(i210 AT); a dedicated Realtek 1Gbit LAN for IPMI,
- 1 USB 3.2 Gen2x2 ports (type C, 20Gb, rear); 5 USB 3.2 Gen2 ports(2 Type C, rear, 3 Type A rear)
- 1 HDMI 2,0 port, 1 DP 1.4a port, 1 VGA
- M,2 Interface: 2 PCle 5,0 x4 (RAID 0 & 1), M,2 Form Factor: 2280/22110, M,2 Key
- 2 x 2,5" fixed with bracket, SAS or enterprise SATA HDD only recommended
- 1U 400W Redundant Power Supply Platinum
- 4x 40x56mm PWM fan(s), Optional 2x fans for AOC cooling
- OS Supported WS2K2, Win 10, RHEL 9.4, Rocky 9.4, SLES 15, Ubuntu 22.04, Vmware ESXi 7.x
- TPM Root-of-Trust
- Advance System Management





Processor/	'Cache
Processor/	Cacne

AMD EPYC™ 4004 series Processors and Processor Ryzen™ 7000 Series Processors, Single

Socket LGA-1718 (Socket AM5) supported, CPU TDP supports Up to 170W TDP, Up to 16

cores, 32 threads

Chipset

Chipset B650

System Memory

Memory

4 DIMM slots, Memory Type: 5200/4800/3600 MT/s Up to 192GB of Capacity

memory with speeds of up to 5200MT/s (1DPC)/ 3600MT/s (2DPC) DIMM Sizes: 8GB, 16GB, 24GB, 32GB,

48GB'

**Expansion Slot** 

1 PCIe 5,0 x16 slot, **PCI-Express** 

M.2 Interface: 2 PCle 5,0 x4, RAID 0 & 1, Form Factor: 2280/22110, Key¦ M-Key

**Integrated Onboard:** 

**SATA** 4 SATA3 ports; RAID 0, 1, 10

Dual LAN with Intel® i210 Gigabit Ethernet LAN

Controller, Single LAN with ASPEED AST2600

BMC, Dedicated LAN for IPMI

Add-on Options

**Raid Card** Optional

Optical Drive

None

Front Panel

LED Power status LED, HDD activity LED, 2

Network Activity LEDs, Fan Fail/System

Over Heat LED

Power On/Off button, System Reset **Buttons** 

button

Drive bays

**HDD Bays** 2x 2.5" fixed drive bay with bracket, SAS

or enterprise SATA HDD only

recommended

**Power Supply** 

**Power Supply** 1U 400W Redundant Power Supply

Cooling System

4x 40x56mm PWM fan(s), Optional 2x fans for AOC

cooling

Form Factor

Form Factor 1U Rackmount

Dimensions

**Dimensions** Height -1.7" (43 mm), Width -17.2" (437

mm), Depth -16.9" (429 mm)

Email: Info@tyronesystems.com For more/current product information, Visit www.tyronesystems.com

AMD the AMD logo inside are trademarks of Advanced Micro Devices in US and / Or other Countries
Specifications subject to change without notice. Picture used for representation purpose only and the actual product may differ in looks. All other brands and names are the property of their respective owners