

Tyrone Camarero Specifications

Tyrone

Camarero- SSI200FOR-34

Key Feature

Designed for CAD and 3D Modeling Applications 2D/3D Content Creation VR Content Development



- 12th/13th Generation Intel® Core™ i3/i5/i7/i9 Processors, Single Socket LGA-1700 supported, Up to 150W TDP
- Intel® W680
- 128GB Unbuffered ECC/non-ECC UDIMM, DDR5-4400MT/s, 4 DIMM Slots
- 2 PCIe 5.0 x16 slots (16/NA or 8/8), 2 PCIe 3.0 x4 1 5V PCI 32bit
- M.2 Interface: 3 PCIe 4.0 x4 (RAID 0, 1, 5) M.2 Form Factor: 2280 M.2 Key: M-Key
- Single LAN with Intel® Ethernet i225V Single LAN with Intel® PHY I219LM LAN controller for AMT/vPro
- 8 SATA3 (6Gbps)
- 1 DP 1.4a, 1 HDMI 2.0b, 1 DVI-D
- 4x 3.5" fixed drive bay
- Optional 1x 12cm (front) cooling fan, 1x 12cm rear exhaust fan(s)
- 668W / 900W High-Efficiency Power Supply

| Processor/Cache | | Front Panel | |
|----------------------------|---|---|---|
| Processor | 12th/13th Generation Intel® Core™ i3/i5/i7/i9 Processors, Single Socket LGA-1700 supported, Up to 150W TDP | Front Panel | Front Control Panel Power Switch, System Reset |
| System Memory | | Buttons | Power On/Off button |
| Memory Capacity | 128GB Unbuffered ECC/non-ECC UDIMM, DDR5-4400MT/s, 4 DIMM Slots | Drive bays | |
| Chipset | | HDD Bays | 4x 3.5" SATA Fixed drive bays |
| Chipset | "Intel® W680" | Peripheral Bays | 2x standard 5.25" drive bay, 1x 3.5" internal fixed drive bay |
| Expansion Slot | | Power Supply | |
| PCI-Express | "2 PCI-E 3.0 x4, 2 PCI-E 5.0 x16 slots (16/NA or 8/8), 1 - 5V PCI 32bit. M.2 Interface: 3 PCI-E 4.0 x4, RAID 0, 1, 5. Form Factor: 2280 Key: M-Key" | Power Supply | 668W / 900W High-Efficiency Power Supply |
| Integrated Onboard: | | Cooling System | |
| SATA : | 8 SATA3 (6Gbps) | Fans | Optional 1x 12cm (front) cooling fan, 1x 12cm rear exhaust fan(s) |
| LAN : | 1 RJ45 Gigabit Ethernet LAN ports, 1 RJ45 2.5 Gigabit Ethernet LAN port | Form Factor | |
| Add-on Options | | Form Factor | Mid Tower |
| Raid Card | Optional | Dimensions | |
| Optical Drive | None | Dimensions | Dimensions : Height: 16.7" (424mm), Width : 7.6" (193mm), Depth : 21.1" (536mm) |
| | | <p>Email : Info@tyronesystems.com</p> <p>For more/current product information, Visit www.tyronesystems.com</p> | |